



DOW

**Aura Eye Shadow
(CPF 4454)**

Aura Eye Shadow (CPF 4454)

Dynamic extended wear eye shadow with deep violet color; features DOWSIL™ 1686 Resin, is non-GMO, and doesn't contain materials of animal origin.

Phase	Trade name / Supplier	INCI name	Wt. %
A	Beeswax (Synthetic) / Chemistry Connection	Beeswax (Synthetic)	10.0
	Carnauba Wax / Strahl & Pitsch, Inc.	Copernicia Cerifera (Carnauba) Wax	1.0
	Stearic Acid / Lonza	Stearic Acid	5.0
	Glyceryl Stearate / Lonza	Glyceryl Stearate	5.0
	DOWSIL™ 2503 Cosmetic Wax / Dow	Stearyl Dimethicone (and) Octadecene	6.0
	DOWSIL™ FA PEPS Silicone Acrylate / Dow	Undecane (and) Tridecane (and) Acrylates / Polytrimethylsiloxymethacrylate Copolymer	15.0
	AS-5101 Alkyl Silane Treated Ultramarine Blue / US Cosmetics	Ultramarines (and) Triethoxycaprylylsilane	4.5
B	SAT Tri 77891 / Miyoshi	C.I. 77891 (and) Triethoxycaprylylsilane	1.8
	SA Red / Miyoshi	Iron Oxides and Dimethicone	1.7
	DOWSIL™ 1686 Resin / Dow	Polyphenylsilsesquioxane	5.0
C	Propylene Glycol	Propylene Glycol	5.0
	Deionized Water	Deionized Water	37.5
	Triethanolamine / Dow	Triethanolamine	1.5
D	Euxyl PE 9010 / Shülke & Mayr	Phenoxyethanol and Ethylhexyl Glycerin	1.0

Procedure

1. Combine Phase A ingredients and heat to 80-85°C with mixing.
2. In a second vessel, disperse pigments (B) into DOWSIL™ 1686 Resin and heat to 80-85°C.
3. In a separate vessel, combine propylene glycol and d-water and mix. Heat to 80-85°C.
4. Add Phase A (oil phase) to Phase B (water phase) with mixing, then add triethanolamine to neutralize.
5. Begin cooling down and post-add Euxyl PE 9010.
6. Pour into containers and allow to cool to room.



www.dow.com/personalcare

Disclaimer: Contained in this package is a sample prepared as per the formulation described on this card. Any variation in the formulation/procedure may cause performance to change.

Images: dow_73904719657, dow_67411459988, dow_39921107711

NOTICE: No freedom from infringement of any patent owned by Dow or others is to be inferred. Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other government enactments. The product shown in this literature may not be available for sale and/or available in all geographies where Dow is represented. The claims made may not have been approved for use in all countries. Dow assumes no obligation or liability for the information in this document. References to "Dow" or the "Company" mean the Dow legal entity selling the products to Customer unless otherwise expressly noted. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED.

*™ Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

© 2022 The Dow Chemical Company. All rights reserved.

2000018884

Form No. 27-3397-01-0622 S2D